


In the United States Patent and Trademark Office



Appln. Series No: 09/189.609

Appln filed: 11/10/98

Applicant: J. T. Lin



New address
4532 Old Carriage Trail, Oviedo, FL 32765

Tel: (407)482-4555 (office)

Title: Treatment of Presbyopia and other eye disorders using a dual-laser scanning system

AMENDMENT B (Submitted on Dec. 19, 2000)

Examiner: Dinh Nguyen/3739


Assistant Commissioner for Patent

Patent Office, DC

Dear Sir:

We find some typing errors in the Amendment A (mailed on Dec. 18) and we also forgot to attached the "extension fee". So, please ignore the Amendment A (sent one-day earlier).

In response to your Office Action mailed on 07/21/00, please find Amendment below according to the PBG-Final Rule.

Submitted by the Applicant:  (J. T. Lin).



(I) Version of replacements:

Specification:

(1) Page 8, line 26, change "ciliary body 13 and the sclera 14" to " sclera 13 and ciliary body 14";

(2) Page 8, line 27, change "sclera 14" to "sclera 13"

Change in Claims:

Claims 9,10,12-20, 22-24 are non-elected per conversation with the Examiner. Claims 1-8, 11 and 21 are replaced by Claims 25-37.

New Title:

TREATMENT OF PRESBYOPIA AND OTHER EYE DISORDERS USING
A SCANNING LASER SYSTEM

37 38

Copy #3

RECEIVED
DEC 26 2000
TECHNOLOGY CENTER 3100